

Ukraine, Kyiv, Stepan Rudnytskyy Str., 4, +38 96 598 82 89 (viber, whatsapp, telegram)

www.inno-health.com

Ex. № 20/01
on 20/01/2025

Medical Reference given to: Trehubenko Maryna Pavlivna

After the clinical examination at the clinic, she received a prescription for the treatment of the existing disease.

Diagnosis:

Arterial hypertension of 1-2 stages, post-Covid vascular syndrome with occlusive-hemorrhagic microthromboangiopathy and decreased perfusion at the macro- and microcirculation levels.

Moderate disorders of blood supply in various vascular reservoirs, expressed disorders of cardiodynamic variability and cerebral hemodynamics of the angiodystonic and cardiodystonic type. Degenerative lesions of the spine and large joints with the risk of developing arthrosis of the hip joints.

Astheno-neurotic syndrome with a tendency to form astheno-phobic syndrome, risk of panic attacks.

It is recommended to take individually selected angiotherapeutic mixtures in order to continue treatment in an outpatient setting for an optimal sanogenic effect

Medicinal mixtures are delivered: 1 syringe of 20 ml and 1 syringe of 10 ml for taking it oral, 16 syringes of 4 ml for morning intramuscular injection according to the agreed plan, 17 syringes of 5 ml and 10 syringes of 2 ml for intramuscular injection in the evening. Be sure to store in the refrigerator. The storage conditions for the transportation of medicinal mixtures by any means of transport are: refrigerator or in a refrigerator bag with ice cartridges. The container of medicinal mixtures is in syringes. Do not change the container during transportation and further use in order to avoid oxidation and chemical reaction, which will lead to the deterioration of medicinal mixtures.

1. Schedule for angiotherapeutic mixture is attached
2. Conclusion (16.01.2025) is attached

Medical Director



U.B. Lushchyk

